



Ramshot Wild Boar Loading Data

Not Available in the United States

17 Remington Fireball

Barrel: 24" | Twist: 1-10" | Primer: WIN WSR | Bullet Dia. .172"

Case: REM | Max Case Length: 1.400" | Trim Length: 1.390"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
20	HDY	V-MAX	18.9	3,560	21.0	3,955	44,540	1.808
25	HDY	V-MAX	18.6	3,399	20.7	3,777	51,840	1.808

17 Remington

Barrel: 24" | Twist: 1-10" | Primer: FED 205 | Bullet Diameter .172"

Case: REM | Max Case Length: 1.796" | Case Trim Length: 1.796"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
25	HDY	HP	20.4	3,496	22.7	3,973	60,888	2.170

20 Tactical

Barrel: 24" | Twist: 1-12" | Primer: WIN WSR | Bullet Diameter .204"

Case: REM | Max Case Length: 1.700" | Trim Length: 1.690"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
32	SIERRA	BK	25.2	3,795	28.0	4,074	62,870	2.200
40	HDY	V-MAX	24.3	3,550	27.0	3,835	62,980	2.240
50	BERGER	BTV	22.5	3,124	25.0	3,426	62,965	2.240

204 Ruger

Barrel: 24" | Twist: 1-12" | Primer: WIN WSR | Bullet Diameter .204"

Case: REM | Max Case Length: 1.850" | Trim Length: 1.840"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
26	BARNES	VG	28.8	4,030	32.0	4,466	59,260	2.250
32	HDY	V-MAX	26.6	3,680	29.5	4,089	59,000	2.250
40	HDY	V-MAX	25.2	3,386	28.0	3,762	59,900	2.260

20 PPC (59,000 psi Standard Loads)

Barrel: 24" | Twist: 1-12" | Primer: WIN WSR | Bullet Diameter .204"

Case: NORMA | Max Case Length: (Wildcat--Consult with Manufacturer for Data)

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
32	SIERRA	BK	27.9	3,822	31.0	4,243	58,000	1.947
40	HDY	V-MAX	26.3	3,590	29.2	3,925	57,925	1.955
50	BERGER	BTV	24.4	3,233	27.1	3,527	57,975	1.995

20 PPC (63,000 psi)

Barrel: 24" | Twist: 1-12" | Primer: WIN WSR | Bullet Diameter .204"

Case: NORMA | Max Case Length: (Wildcat--Consult with Manufacturer for Data)

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
50	BERGER	BTV	25.0	3,293	27.8	3,598	62,950	1.995

20 BR (59,000 psi Standard Loads)

Barrel: 24" | Twist: 1-12" | Primer: WIN WSR | Bullet Diameter .204"

Case: REM | Max Case Length: (Wildcat--Consult with Manufacturer for Data)

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
32	SIERRA	BK	29.2	3,899	32.5	4,304	58,000	1.992
40	HDY	V-MAX	27.6	3,662	30.7	3,952	57,925	2.000

20 BR (63,000 psi)

Barrel: 24" | Twist: 1-12" | Primer: WIN WSR | Bullet Diameter .204"

Case: REM | Max Case Length: (Wildcat--Consult with Manufacturer for Data)

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
32	SIERRA	BK	29.9	3,972	33.2	4,392	62,910	1.992
40	HDY	V-MAX	28.4	3,662	31.6	4,035	62,550	2.000

222 Remington

Barrel: 24" | Twist: 1-14" | Primer: REM 7 ½ | Bullet Diameter .224"

Case: WIN | Max Case Length: 1.700" | Trim Length: 1.690"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
55	SIERRA	SBT	21.5	2,641	23.8	2,985	43,500	2.120
60	SIERRA	HP	20.7	2,562	23.0	2,897	44,800	2.120

223 Remington

55000 Psi -- Standard SAAMI Commercial Specifications

Barrel: 24" | Twist: 1-12" | Primer: WSR | Bullet Diameter .224"

Case: WIN | Max Case Length: 1.760" | Trim Length: 1.750"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
35	NOSLER	BTLF	26.5	3,449	29.5	3,746	46,200	2.260
40	NOSLER	BTLF	25.8	3,345	28.7	3,628	48,702	2.260
50	NOSLER	B-TIP	25.4	3,199	28.3	3,490	54,575	2.260
50	SIERRA	BK	24.8	3,149	27.5	3,441	53,870	2.260
50	MSS	VNX	24.3	3,142	27.0	3,434	53,670	2.187
52	BERGER	FBV	23.4	3,052	26.0	3,335	54,890	2.260
52	NOSLER	HPBT-CC	24.7	3,100	27.4	3,388	54,130	2.226
53	BARNES	XFB	25.0	3,044	27.8	3,327	52,700	2.202
55	BERGER	FBV	22.7	2,931	25.2	3,203	54,010	2.244
55	HDY	BT-FMJ	24.3	3,053	27.0	3,345	54,910	2.200
55	HDY	V-MAX	23.0	2,934	25.6	3,207	54,070	2.260
55	NOSLER	B-TIP	24.0	3,000	26.7	3,311	54,970	2.260
55	SIERRA	HPBT GK	24.1	2,985	26.8	3,295	54,870	2.160
55	SIERRA	SBT	24.0	3,012	26.7	3,292	54,070	2.215
55	MSS	VNX	22.7	2,952	25.2	3,226	53,560	2.203
55	BARNES	TSX-FB	24.1	2,959	26.8	3,234	54,070	2.183
60	NOSLER	PART	23.0	2,856	25.6	3,121	54,500	2.205
60	SIERRA	HP	22.5	2,826	25.0	3,089	54,200	2.232
62	MIL	M855	23.9	2,855	26.5	3,127	54,367	2.260
62	BARNES	TSX-BT	24.1	2,864	26.8	3,140	52,580	2.255
65	SIERRA	SBT	22.7	2,777	25.2	3,011	52,777	2.210
68	HDY	BTHP	23.2	2,762	25.8	3,031	54,662	2.250
69	SIERRA	HPBT MK	22.0	2,680	24.4	2,931	54,640	2.260
70	BARNES	TSX-BT	22.4	2,675	24.9	2,931	54,759	2.260
75	HDY	BTHP-M	22.2	2,610	24.7	2,863	54,602	2.260
77	SIERRA	HPBT MK	21.7	2,553	24.1	2,785	54,800	2.260
80	SIERRA	HPBT MK	22.4	2,536	24.9	2,792	54,926	2.260
90	SIERRA	HPBT MK	21.2	2,374	23.6	2,586	54,416	2.260

5.56X45 NATO

62350 PSI CIP Commercial and NATO/MIL Specification

Barrel: 24" | Twist: 1-7" | Primer: WSR | Bullet Diameter .224"

Case: WIN | Max Case Length: 1.760" | Trim Length: 1.750"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
55	HDY	BT-FMJ	25.5	3,182	28.4	3,489	60,725	2.200
62	MIL	M855	24.8	2,894	27.5	3,216	57,707	2.260
62	BARNES	TSX-BT	26.2	3,070	29.1	3,377	60,894	2.255
65	SIERRA	SBT	24.9	2,982	27.6	3,239	61,238	2.210
68	HDY	BTHP-M	24.3	2,868	26.9	3,154	60,057	2.250
69	SIERRA	HPBT	23.2	2,780	25.8	3,061	62,240	2.260
70	BARNES	TSX-BT	23.9	2,826	26.6	3,103	61,552	2.260
75	HDY	BTHP-M	23.7	2,764	26.4	3,039	61,890	2.260
77	SIERRA	HPBT MK	23.0	2,674	25.5	2,925	62,200	2.260
80	SIERRA	HPBT MK	23.8	2,671	26.4	2,949	61,844	2.260
90	SIERRA	HPBT MK	22.3	2,467	24.8	2,701	60,052	2.260

222 Remington Magnum

Barrel: 24" | Twist: 1-12" | Primer: WSR | Bullet Diameter .224"

Case: REM | Max Case Length: 1.850" | Trim Length: 1.840"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
40	NOSLER	B-TIP	26.1	3,075	29.0	3,495	36,600	2.345
45	NOSLER	HORNET	26.1	3,057	29.0	3,474	43,900	2.220
50	SPEER	TNT HP	26.1	2,994	29.0	3,402	46,900	2.320
52	NOSLER	HPBT-CC	26.1	2,673	29.0	3,037	45,400	2.295
55	NOSLER	B-TIP	25.8	2,884	28.7	3,277	46,800	2.310
60	NOSLER	PART	24.9	2,772	27.7	3,150	48,800	2.330
63	SIERRA	SMP	24.3	2,646	27.0	3,007	45,600	2.280

219 ZIPPER

Barrel: 24" | Twist: 1-16" | Primer: WLR | Bullet Diameter .224"

Case: WIN | Max Case Length: 1.938" | Trim Length: 1.928"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
46	SPEER	FN	24.8	2,892	27.5	3,286	38,500	2.255
50	HDY	SPSX	24.3	2,814	27.0	3,198	38,400	2.350
55	NOSLER	B-TIP	23.9	2,696	26.5	3,064	37,100	2.375

225 Winchester

Barrel: 24" | Twist: 1-14" | Primer: WIN WLR | Bullet Diameter .224"

Case: WIN | Max Case Length: 1.930" | Trim Length: 1.920"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
40	NOSLER	B-TIP	31.5	3,532	35.0	4,014	56,700	2.495
50	SPEER	SPZSP	30.0	3,206	33.3	3,643	57,800	2.400
53	HDY	HP	29.8	3,130	33.1	3,557	58,100	2.415
55	NOSLER	B-TIP	29.9	3,096	33.2	3,518	57,600	2.425
60	HDY	HP	29.3	3,000	32.5	3,409	59,600	2.425

22-250 Remington

Barrel: 24" | Twist: 1-14" | Primer: WIN WLR | Bullet Diameter .224"

Case: REM | Max Case Length: 1.912" | Trim Length: 1.902"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
40	BARNES	VARM	34.6	3,673	38.5	4,174	61,800	2.405
45	BERGER	FBV	33.8	3,412	37.5	3,877	58,800	2.305
50	SIERRA	BK	33.3	3,361	37.0	3,819	63,100	2.350
53	HDY	HP	32.0	3,167	35.5	3,599	56,400	2.380
55	NOSLER	B-TIP	32.4	3,172	36.0	3,605	59,700	2.370

6mm BR Remington

Barrel: 24" | Twist: 1-14" | Primer: FED 205 | Bullet Diameter .243"

Case: REM | Max Case Length: 1.560" | Trim Length: 1.550"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
60	SIERRA	HP	31.5	3,047	35.0	3,462	50,500	2.125
70	NOSLER	B-TIP	30.6	2,889	34.0	3,283	51,900	2.170
80	BERGER	FBV	29.7	2,746	33.0	3,121	51,200	2.120

25-35 Winchester

Barrel: 20" | Twist: 1-8" | Primer: Win WLR | Bullet Diameter .257"

Case: WIN | Max Case Length: 2.043" | Trim Length: 2.033"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
60	HDY	FN	28.8	2,674	32.0	3,039	35,000	2.300
75	SPEER	FN5P	26.1	2,372	29.0	2,696	33,400	2.310
117	HDY	RN	22.5	1,952	25.0	2,218	33,900	2.545

250 Savage

Barrel: 24" | Twist: 1-10" | Primer: FED 210 | Bullet Diameter .257"

Case: REM | Max Case Length: 1.912" | Trim Length: 1.902"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
75	SIERRA	HP	30.6	2,746	34.0	3,121	41,300	2.465
90	SIERRA	HPBT GK	29.3	2,554	32.5	2,902	41,200	2.460
100	HDY	SP	28.8	2,429	32.0	2,760	42,300	2.500
117	SIERRA	SBT GK	27.0	2,225	30.0	2,528	44,300	2.515

257 Roberts +P

Barrel: 24" | Twist: 1-10" | Primer: FED 210 | Bullet Diameter .257"

Case: REM | Max Case Length: 2.233" | Trim Length: 2.223"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
75	SIERRA	HP	36.9	2,912	41.0	3,309	48,100	2.745
85	BARNES	X	35.1	2,709	39.0	3,078	48,700	2.770
90	SIERRA	HPBT GK	34.7	2,692	38.5	3,059	48,200	2.735
100	NOSLER	B-TIP	33.8	2,525	37.5	2,869	48,700	2.775
100	BARNES	TSX-BT	33.3	2,475	37.0	2,813	49,900	2.760
117	SIERRA	SBT GK	32.9	2,357	36.5	2,678	49,300	2.775

6.5 Grendel (For AR-15 Style Weapons)

Barrel: 20" | Twist: 1-10" | Primer: WIN WSR | Bullet Diameter .264"

Case: ALEX | Max Case Length: 1.516" | Trim Length: 1.506"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
85	SIERRA	HP	30.5	2,724	33.9	2,996	51,491	2.130
95	HDY	V-MAX	29.3	2,591	32.5	2,858	51,902	2.200
100	HDY	SP	29.4	2,556	32.6	2,806	51,589	2.215
100	NOSLER	B-TIP	28.6	2,512	31.8	2,767	51,834	2.230
100	BARNES	TTSX	28.8	2,476	32.0	2,737	51,359	2.260
107	SIERRA	HPBT MK	28.1	2,413	31.2	2,682	50,413	2.260
110	BARNES	BAND-S	27.3	2,360	30.3	2,608	50,001	2.245
120	SIERRA	HPBT MK	26.7	2,262	29.7	2,498	51,623	2.215
123	LAPUA	SCENAR	26.5	2,232	29.5	2,471	51,833	2.260
123	SIERRA	HPBT MK	26.7	2,259	29.6	2,491	51,736	2.260

6.5mmx47 Lapua

Barrel: 24" | Twist: 1-9" | Primer: WIN WSR | Bullet Diameter .264"

Case: LAPUA | Max Case Length: 1.840" | Trim Length: 1.830"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
107	SIERRA	HPBT MK	35.1	2,806	39.0	3,118	61,260	2.647
123	SIERRA	HPBT MK	33.3	2,582	37.0	2,869	60,600	2.637

7-30 Waters

Barrel: 24" | Twist: 1-9" | Primer: WIN WLR | Bullet Diameter .284"

Case: REM | Max Case Length: 2.040" | Trim Length: 2.030"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
120	NOSLER	FN/BT	33.3	2,406	37.0	2,734	39,400	2.530
139	HDY	FP	31.1	2,175	34.5	2,472	36,000	2.550

30-30 Winchester

Barrel: 24" | Twist: 1-12" | Primer: WIN WLR | Bullet Diameter .308"

Case: WIN | Max Case Length: 2.039" | Trim Length: 2.029"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
110	HDY	RN	34.2	2,366	38.0	2,689	35,700	2.440
150	SIERRA	FN	30.2	2,046	33.5	2,325	38,800	2.540
160	HDY	FTX	29.0	1,925	32.2	2,165	39,950	2.535
170	SIERRA	FN	28.4	1,874	31.5	2,129	38,400	2.545
170 (L)	LC	RN FP	25.7	1,807	28.5	2,053	29,300	2.550

300 Savage

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .308"

Case: REM | Max Case Length: 1.871" | Trim Length: 1.861"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
150	SPEER	FMJ-BT	38.3	2,433	42.5	2,765	43,400	2.600
165	REM	PSPCL	37.8	2,331	42.0	2,649	43,800	2.580
180	SIERRA	SBT GK	35.1	2,203	39.0	2,503	45,000	2.590

307 Winchester

Barrel: 24" | Twist: 1-9" | Primer: WIN WLR | Bullet Diameter .308"

Case: WIN | Max Case Length: 2.015" | Trim Length: 2.005"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
150	SPEER	FNSP	39.6	2,370	44.0	2,693	45,500	2.530
170	SPEER	FNSP	38.3	2,262	42.5	2,570	49,300	2.530

308 Marlin Express

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .308"

Case: HDY | Max Case Length: 1.910" | Trim Length: 1.900"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
125	SIERRA	HP/FN	39.6	2,637	44.0	2,930	47,090	2.300
150	SIERRA	FN	36.9	2,395	41.0	2,661	46,890	2.405
160	HDY	FTX	36.5	2,302	40.5	2,558	46,240	2.424
170	SIERRA	FN	35.4	2,253	39.3	2,503	46,590	2.414

30 T/C

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .308"

Case: HDY | Max Case Length: 1.920" | Trim Length: 1.910"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
125	SIERRA	SPT PH	45.0	2,902	50.0	3,224	60,980	2.570
130	BARNES	TSX-BT	45.0	2,824	50.0	3,138	57,980	2.697
150	HDY	SST	42.8	2,678	47.6	2,976	61,080	2.647
150	BARNES	TSX-BT	42.8	2,621	47.6	2,912	57,560	2.660
165	BARNES	TSX-BT	40.5	2,458	45.0	2,731	59,690	2.637
168	SIERRA	HPBT MK	40.1	2,472	44.5	2,747	59,790	2.660
180	HDY	SP	38.7	2,349	43.0	2,610	60,580	2.654

308 Winchester

Barrel: 24" | Twist: 1-12" | Primer: WLR | Bullet Diameter .308"

Case: WIN | Max Case Length: 2.015" | Trim Length: 2.005"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
110	BERGER	FBT	48.6	3,173	54.0	3,443	58,021	2.700
110	HDY	V-MAX	48.1	3,171	53.5	3,444	61,700	2.740
110	BARNES	TTSX	46.3	3,011	51.5	3,257	48,432	2.700
115	BERGER	FBT	48.5	3,139	53.9	3,417	61,233	2.700
125	NOSLER	B-TIP	48.1	3,044	53.5	3,286	57,844	2.750
125	SIERRA	SPT PH	46.5	2,973	51.7	3,233	61,593	2.700
125	SF	NPT	44.4	2,893	49.4	3,143	53,019	2.700
130	BARNES	TSX-BT	47.6	2,992	52.8	3,251	61,407	2.810
135	BERGER	FBT	44.2	2,820	49.1	3,087	61,992	2.810
140	BARNES	MPG	42.8	2,661	47.5	2,929	55,019	2.800
150	HDY	BT-FMJ	43.9	2,755	48.8	2,995	61,493	2.735
150	HDY	SST	44.5	2,770	49.4	3,006	61,771	2.735
150	NOSLER	A-BOND	43.7	2,731	48.5	2,967	61,591	2.810
150	SIERRA	SBT GK	43.4	2,737	48.3	2,978	61,212	2.750
150	SPEER	SPZSP	43.8	2,732	48.7	2,967	61,622	2.700
150	BARNES	MRX-BT	43.9	2,726	48.8	2,972	61,358	2.785
150	NOSLER	E-TIP	42.7	2,651	47.4	2,899	61,557	2.810
155	BERGER	VLD	42.7	2,684	47.5	2,919	61,620	2.810
155	HDY	A-MAX	42.2	2,643	46.9	2,886	61,480	2.810
155	SIERRA	HPBT MK	43.1	2,689	47.9	2,925	61,596	2.775
165	NOSLER	PART	41.9	2,603	46.6	2,815	61,999	2.810
165	SIERRA	SBT GK	42.9	2,636	47.7	2,861	61,834	2.810
165	BARNES	MRX-BT	42.7	2,601	47.5	2,839	61,040	2.785
168	BERGER	VLD	41.9	2,587	46.6	2,803	61,389	2.810
168	HDY	A-MAX	41.5	2,567	46.2	2,777	61,491	2.800
168	NOSLER	HPBT-CC	40.9	2,556	45.5	2,772	61,888	2.810
168	SIERRA	HPBT	40.1	2,519	44.5	2,741	61,507	2.800
168	BARNES	TSX	41.3	2,514	45.8	2,737	61,700	2.810
168	NOSLER	E-TIP	41.0	2,485	45.5	2,705	61,582	2.810
175	NOSLER	CC HPBT	39.5	2,458	43.9	2,669	61,199	2.810
175	SIERRA	HPBT MK	40.4	2,504	44.9	2,719	61,881	2.800
180	HDY	SST	40.9	2,486	45.5	2,711	61,483	2.740
180	SIERRA	HPBT MK	39.0	2,421	43.3	2,633	61,888	2.800
180	SIERRA	SPT PH	39.6	2,418	44.0	2,629	61,655	2.800
180	SPEER	GSLAM	39.8	2,421	44.3	2,631	61,328	2.690
180	BARNES	TSX-BT	40.5	2,421	45.0	2,649	61,424	2.810
180	NOSLER	E-TIP	40.5	2,387	45.0	2,624	61,843	2.810
185	BERGER	BTTLR	40.2	2,441	44.6	2,646	61,533	2.810
190	HDY	BTSP	39.2	2,370	43.5	2,580	61,580	2.745
190	NOSLER	HPBT-CC	39.2	2,388	43.6	2,599	61,712	2.810
200	SIERRA	HPBT MK	39.8	2,358	44.2	2,555	61,900	2.800
200	BARNES	TSX-FB	37.8	2,171	42.0	2,383	61,322	2.810
208	HDY	HPBT-M	37.9	2,276	42.1	2,462	61,209	2.810
210	BERGER	VLD	37.3	2,213	41.5	2,402	61,700	2.810

30-06 Springfield

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .308"

Case: REM | Max Case Length: 2.494" | Trim Length: 2.484"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
110	BERGER	FBT	50.0	3,197	55.6	3,444	59,916	3.210
110	HDY	V-MAX	49.1	3,150	54.6	3,387	59,495	3.170
110	BARNES	TTSX	51.6	3,195	57.3	3,484	59,193	3.218
115	BERGER	FBT	49.4	3,141	54.9	3,365	59,313	3.200
125	NOSLER	B-TIP	49.8	3,021	55.4	3,292	59,324	3.250
125	SIERRA	SPT PH	47.5	2,972	52.8	3,188	59,400	3.150
125	SF	NTP	48.9	2,988	54.3	3,246	59,404	3.275
130	BARNES	TSX-BT	48.7	2,934	54.2	3,196	59,499	3.218
140	BARNES	MPG	44.8	2,689	49.7	2,975	59,647	3.270
150	HDY	BT-FMJ	45.2	2,757	50.2	2,978	59,324	3.185
150	HDY	SST	45.2	2,697	50.3	2,949	59,403	3.210
150	SIERRA	SPT PH	46.3	2,758	51.5	2,985	59,363	3.225
155	BERGER	VLD	43.9	2,647	48.7	2,874	59,409	3.320
155	HDY	A-MAX	43.8	2,615	48.7	2,883	59,001	3.210
155	SIERRA	HPBT MK	44.8	2,702	49.7	2,915	59,651	3.250
165	NOSLER	PART	41.9	2,577	46.6	2,741	59,664	3.305
168	SIERRA	HPBT MK	40.2	2,491	44.6	2,681	59,480	3.285
175	SIERRA	HPBT MK	39.9	2,440	44.3	2,639	59,782	3.290

7.65x53 Mauser

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .311"

Case: NORMA | Max Case Length: 2.110" | Trim Length: 2.100"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
150	HDY	SP	41.9	2,431	46.5	2,763	50,300	2.850
180	SIERRA	SPT PH	40.5	2,262	45.0	2,570	51,100	2.850

303 British

Barrel: 24" | Twist: 1-9.5" | Primer: WIN WLR | Bullet Diameter .311"

Case: REM | Max Case Length: 2.222" | Trim Length: 2.212"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
125	SIERRA	SPT PH	42.8	2,657	47.5	3,019	44,800	2.870
150	HDY	SP	41.4	2,437	46.0	2,769	45,000	3.010
174	SIERRA	HPBT MK	35.1	2,153	39.0	2,447	42,900	3.075
180	SIERRA	SPT PH	39.6	2,260	44.0	2,568	45,000	3.000

8x57mm JS Mauser

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .323"

Case: REM | Max Case Length: 2.244" | Trim Length: 2.234"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
150	SIERRA	SPT PH	47.3	2,600	52.5	2,955	55,800	2.940
170	HDY	RN	45.0	2,439	50.0	2,752	57,500	2.855
220	HDY	SP	40.5	2,069	45.0	2,351	55,600	2.990

8mm-06

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .323"

Case: IMI | Max Case Length: 2.494" | Trim Length: 2.484"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
125	HDY	SP	53.6	2,966	59.5	3,370	57,600	3.200
150	HDY	SP	50.4	2,730	56.0	3,102	57,600	3.200
170	HDY	RN	46.8	2,487	52.0	2,826	58,400	3.055
200	SPEER	SPZSP	41.0	2,159	45.5	2,453	54,000	3.220
220	HDY	SP	39.6	2,052	44.0	2,332	57,900	3.300

338-06

Barrel: 24" | Twist: 1-10" | Primer: FED 215 | Bullet Diameter .338"

Case: IMI | Max Case Length: 2.494" | Trim Length: 2.484"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
200	NOSLER	B-TIP	45.9	2,367	51.0	2,690	58,800	3.335
210	NOSLER	PART	44.6	2,283	49.5	2,594	58,300	3.265
225	HDY	SP	44.1	2,211	49.0	2,512	58,000	3.315
225	BARNES	X	42.8	2,162	47.5	2,457	57,300	3.315
250	SIERRA	SBT GK	41.4	2,030	46.0	2,307	59,000	3.315

338 RCM

Barrel: 24" | Twist: 1-10" | Primer: Win WLR | Bullet Diameter .338"

Case: HDY | Max Case Length: 2.015" | Trim Length: 2.005"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
180	NOSLER	A-BOND	52.9	2,703	58.8	3,003	63,550	2.816
185	BARNES	MRX-BT	52.2	2,663	58.0	2,959	63,590	2.847
200	HDY	SP	50.9	2,544	56.5	2,827	64,490	2.816
210	BARNES	TSX-BT	49.5	2,438	55.0	2,709	62,880	2.816
225	BARNES	MRX-BT	47.7	2,346	53.0	2,607	62,430	2.830
225	HDY	SP	49.1	2,357	54.5	2,619	63,498	2.834

356 Winchester

Barrel: 24" | Twist: 1-12" | Primer: Win WLR | Bullet Diameter .358"

Case: WIN | Max Case Length: 2.015" | Trim Length: 2.005"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
180	SPEER	FNSP	44.1	2,267	49.0	2,576	41,800	2.545
220	SPEER	FNSP	41.9	2,116	46.5	2,404	45,400	2.555

35 Remington

Barrel: 24" | Twist: 1-12" | Primer: Win WLR | Bullet Diameter .358"

Case: REM | Max Case Length: 1.920" | Trim Length: 1.910"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
180	SPEER	FNSP	35.1	1,867	39.0	2,122	27,100	2.465
200	SIERRA	RN PH	35.1	1,822	39.0	2,071	27,800	2.470
200 (L)	RCBS	35-200-FN	34.2	1,834	38.0	2,084	30,900	2.410

358 Winchester

Barrel: 24" | Twist: 1-12" | Primer: Win WLR | Bullet Diameter .358"

Case: WIN | Max Case Length: 2.015" | Trim Length: 2.005"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
200	HDY	SP	44.6	2,260	49.5	2,568	48,900	2.640
204 (L)	LYMAN	#358315	40.5	2,167	45.0	2,462	41,200	2.595
225	SIERRA	SBT GK	43.2	2,167	48.0	2,462	49,000	2.740
250	HDY	RN	45.6	2,247	48.0	2,390	49,700	2.745

35 Whelen

Barrel: 24" | Twist: 1-12" | Primer: FED 210 | Bullet Diameter .358"

Case: REM | Max Case Length: 2.494" | Trim Length: 2.484"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
180	SPEER	FNSP	54.5	2,564	60.5	2,914	48,500	3.035
200	HDY	SP	52.7	2,424	58.5	2,755	47,900	3.140
200	BARNES	X	50.9	2,374	56.5	2,698	46,200	3.225
204 (L)	LYMAN	#358009	48.6	2,410	54.0	2,739	50,000	3.045
225	NOSLER	PART	49.5	2,291	55.0	2,603	52,300	3.215
225	SIERRA	SBT GK	49.5	2,287	55.0	2,599	51,100	3.280
225	BARNES	X	48.2	2,226	53.5	2,529	48,900	3.220
250	HDY	RN	48.3	2,131	53.7	2,422	50,600	3.250
250	NOSLER	PART	45.9	2,146	51.0	2,439	53,300	3.255
250	SPEER	GSLAM	46.8	2,122	52.0	2,411	51,500	3.245
250	BARNES	X	45.9	2,109	51.0	2,397	51,500	3.220
250 (L)	RCBS	35-250-SP	45.0	2,088	50.0	2,373	53,000	3.250
280 (L)	LYMAN	#358009	40.5	1,909	45.0	2,169	46,000	3.050

416 Remington Magnum

Barrel: 24" | Twist: 1-14" | Primer: WIN WLRM | Bullet Diameter .416"

Case: REM | Max Case Length: 2.850" | Trim Length: 2.840"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
350	BARNES	X	70.2	2,255	78.0	2,563	57,348	3.680
400	HDY	RN	67.5	2,099	75.0	2,385	61,242	3.580

458 Lott

Barrel: 24" | Twist: 1-10" | Primer: WIN WLR | Bullet Diameter .458"

Case: HDY | Max Case Length: 2.800" | Trim Length: 2.790"

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
500	HDY	RN	77.0	2,100	86.0	2,310	61,000	3.600

550 Magnum

Barrel: 24" | Twist: 1-18" | Primer: WLRM | Bullet Diameter .550"

Case: JAMISON | Max Case Length: (Wildcat--Consult with Manufacturer for Data)

Ramshot Wild Boar

Bullet Weight (Grains)	Bullet Make	Bullet Type	Start Load (Grains)	Start Load Velocity (fps)	Max Load (Grains)	Max Load Velocity (fps)	Max Pressure (psi)	COL (inch)
700	HAWK	RN SP	101.7	2,005	113.0	2,228	61,410	3.715